
# HERB FORMULAS FOR CLINIC AND HOME BY MICHAEL MOORE

75 Formulas for making
Herbal Preparations, including
Tooth Powders, Tincture Formulas,
Constitutional Tonics, Tea Blends, Salves,
Ointments, Liniments, Elixirs, Cough
Syrups...even Guarana Fudge,
with a Materia Medica that defines the herbs,
formats, and preparations discussed



SOUTHWEST SCHOOL of BOTANICAL MEDICINE PO Box 4565 Bisbee, AZ 85603

# HERBAL FORMULAS FOR CLINIC

# **AND HOME**

## by Michael Moore

### **CONTENTS:**

#### INTRODUCTION

#### 1. MOUTH/NOSE/EYES/EARS

- 1.1 LIP and SKIN BUTTER
- 1.2 TOOTH POWDER (Michaels)
- 1.3 TOOTH POWDER (Jareds)

#### 2. GASTRO-INTESTINAL

- 2.1 STOMACH TEA
- 2.2 LAXATIVE TEA
- 2.3 COMFREY-MINT-LEMON TEA
- 2.4 PAPAYA-MINT-LEMON TEA
- 2.4 COLON TONIC (Modified Thomsonian)
- 2.5 BITTER TONIC
- 2.6 ILEO-CECAL TONIC
- 2.7 CATNIP-FENNEL TINCTURE
- 2.8 NEUTRALIZING CORDIAL (Modified)

#### 3. LIVER/BILIARY

- 3.1 LIVER TONIC
- 3.2 ROBERT'S BILIARY FORMULA
- 3.3 ALTERATIVE TEA
- 3.4 LIVER DEFICIENCY TINCTURE
- 3.5 LIVER EXCESS TINCTURE

#### 4. RESPIRATORY

- 4.1 DECONGESTANT TEA
- 4.2 WHITE PINE COMPOUND COUGH SYRUP
- 4.3 OSHA COUGH SYRUP
- 4.4 COMPOUND SYRUP OF RED ROOT
- 4.5 WINTER SOLTICE COUGH/COLD SYRUP
- 4.6 MONARDA HONEY
- 4.7 TONSILITIS FORMULA
- 4.8 ALLERGY FORMULA

#### 5. REPRODUCTIVE

- 5.1 CANDIDA FORMULA
- 5.2 FEMALE BALANCER
- 5.3 MENOPAUSE: EARLY FORMULA
- 5.4 MENOPAUSE: LATER FORMULA
- 5.5 PMS FORMULA, LONG CYCLE
- 5.6 PMS FORMULA, SHORT CYCLE
- 5.7 CERVICAL DYSPLASIA SUPPOSITORIES
- 5.8 HPV (Venereal Wart) SUPPOSITORIES
- 5.9 CANDIDA DOUCHE

#### 5.10 HAYDEN'S VIBURNUM COMPOUND(Modified)

#### 6. URINARY TRACT

- 6.1 URINARY TINCTURE (all purpose)
- **6.2 ALKALIZING TEA**

#### 7. LYMPH/IMMUNE

- 7.1 LYMPH TONIC
- 7.2 IMMUNE STIMULANT #1
- 7.3 IMMUNE STIMULANT #2
- 7.4 LYMPH ANTI-EFFECT (for mumps, mono, etc.)
- 7.5 TONSILITIS FORMULA
- 7.6 IMMUNE TONIC

#### 8. CARDIO-VASCULAR

- 8.1 GREASEBALL HYPERTENSION
- 8.2 HYPOTENSION FORMULA (Kidney deficient)
- 8.3 TACHYCARDIA FORMULA
- 8.4 CIRCULATORY STIMULANT
- 8.5 ARTERIOSCLEROSIS FORMULA (health good, memory bad)

#### 9. TOPICAL

- 9.1 PODOPHYLLIN OINTMENT
- 9.2 CHAC SALVE (Calendula, Hypericum, Arnica, Cajeput)
- 9.3 MUSCLE BALM
- 9.4 "TRAUMA TINCTURE"
- 9.5 ROTGUT LINIMENT
- 9.6 ECHINACEA SALVE
- 9.7 GOLDEN SEAL SALVE

#### 10. CENTRAL NERVOUS SYSTEM

- **10.1 RELAXING TEA**
- **10.2 NERVE TONIC**
- 10.3 SPEED DETOX FORMULA
- **10.4 V's NERVE TONIC**
- **10.5 B's ANTIDEPRESSANT**
- 10.6 K's SYRIAN RUE FORMULA
- 10.7 COMPOUND TINCTURE OF CANNABIS (1910)
- 10.8 POST-TREATMENT RELAXER
- 10.9 POST-TREATMENT STRENGTHENER

#### 11. ACUTE DISEASE

- 11.1 EGO CAPSULES
- 12. CHRONIC/METABOLIC
  - 12.1 ALTERATIVE SYRUP
  - 12.2 DETOX FORMULA

#### 13. FOR PLEASURE OR FUN

- 13.1 FIVE MINT TEA
- 13.2 ROOT TEA
- 13.3 FLOWER TEA
- 13.4 MESOMARBLES
- 13.5 GUARANA FUDGE (AKA Speed Fudge)

#### SIMPLE SYRUP

**MATERIA MEDICA** 

## INTRODUCTION

These are a variety of formulas I have used in my business and practice over the years. Some are elegant, some are silly and trivial, some are very useful therapeutic formulas. I have mixed them all together with little by way of editorializing.

Some of the herbs are readily available in commerce, some are obscure, since I have been gathering, selling, using, teaching and writing about herbs in the Western United States for 25 years and have come to know a lot of useful plants not often encountered in commerce. Many former students market them commercially, but since I try to teach bioregional herbalism, they TOO are mostly in business in the west. Herbs Etcetera of Santa Fe, Dragon River Herbals, Wyoming Wildcrafters, Bisbee Botanicals, The Herbalist (Seattle) and The Herb Store are some of the more visibly marketed of these lines (there are many more with a more local focus) and some of these obscure herbs are now to be found in the catalogues of Eclectic Institute, The Herb Pharm, Herbalist and Alchemist and Blessed Herbs. Anyway, scrambling around to try and locate some wierd exotic 'cause Moore says so isn't the point. I have offered some substitutes, if you know YOUR herbs real well make your own substitutes and otherwise just try the stuff that you can get the herbs for. I have always maintained that formulas are the LEAST important part of herbalism anyway.

You can get the same effects from 100 different variations of various herbs. You need to know the craft well in order to get the same end result using other paths, but the actual formula isn't all that important...knowing the palette is. Anytime I see references to some "secret formula" I walk away. The VAST majority of physiologic reactions produced by herbs are repeated OVER and OVER endlessly in different plants, the physiologic effects that are beneficial in plants that are ingested are really only a few.

Although a specific herb may offer a subtle range of physiologic colors that warrant a homeopathic profile or a classic Eclectic Specific Indication seperating its energy completely from other herbs, the mixing of stuff together reduces the subtleties to a gentle grey noise and you are left with the predominate effects. The Eclectics often raged against polypharmacy for the simple reason that botanical subtleties are lost. At the very same time most of them grimaced and ended up using formulas most of the time. They are simpler, effective, and, since most disease is self-limiting and not always so subtle, often all that's needed. Besides, having a bunch of useful formulas around the house (or, if you are a practitioner or physician, around the clinic) covers most bases and allows YOU to control the resources. You don't need to go trundling about seeing an Eclectic M.D. (100 years ago) or trying to figure out where to find a professional herbalist in the yellow pages (there aren't many of us).

Most formulas I use these days are made for a specific person, and are the end product of constitutional evaluations and counseling. For the 20 years I SOLD herbs, I put together a number of these formulas to wholesale, knowing that, without a Professional Herbalist (giggle) around, the formulas needed to be

shotguns, covering the common problems that herbs are most appropriate for, and where subtleties are unnecessary (or could not be defined legally on the label and therefore could not be communicated to the innocent user). Besides, if you can't make it simple, you don't know what you're doing.

When we pack for our endless numbers of field trips we pile boxes with enough tinctures, salves, fluidextracts, patches and herbal junk to outfit a dispensatory for a practicing Physiomedicalist in 1885 (another one of those schools of Medical Practice long extinct, may Flexner be cursed!). What we ACTUALLY end up using, however, if we get sick, are those same old formulas I used to wholesale. We always run out of Neutralizing Cordial, Hayden's Viburnum Compound, the latest version of some analgesic balm I put together in pharmacy lab and Mouth Tincture. We dutifully drag back all the subtle stuff until the next field trip.

I figure it's our version of the gallon jars of organic soybeans and mung beans (for sprouting) that were bought in the holy flush of some dietary asceticism in 1987 and, in over 470,000 households across this land, get dragged sheepishly from house to house with NOBODY willing to either use them or risk Bad Karma Points by tossing them...an alternative lifestyle equivalent of the Christmas Fruitcake from Hell, and related to the Ma Rollers, Pyramid Hats, New Zealand Green Lipped Mussel Extract bottles, Willard Water and the half-finished Orgon Box that clutter the symbolic attics of those of us that have resided in North American Alternative Village.

## 1. MOUTH/NOSE/EYES/EARS

#### 1.1 LIP and SKIN BUTTER

20 ounces	.Almond Oil
1/2 pound	.Anhydrose Lanolin
8 ounces	
3 3/4 ounces	.Beeswax
5-10 drops of Essential Oil	

Over low heat, dissolve the lanolin in the almond oil, add the glycerin and stir until all three are dispersed. Add the finely-chopped beeswax, stirring until just melted, add the essential oil, and pour the salve into containers. Stir the pot frequently and pour as quickly as reasonable. If you take too long the lanolin and glycerin may begin to separate.

## 1.2 TOOTH POWDER (Michaels)

Arrowroot Powder	12 ounces
Orris Root Powder	4 ounces
Baking Powder	1 ounce
Licorice Root Powder	1 ounce
Myrrh Gum Powder	1 ounce
Cloves, fresh pwd	1 ounce
Cinnamon, fresh pwd	1 ounce
Yerba Mansa Powder	
Peppermint Oil	20 drops
Wintergreen Oil	10 drops.

Thoroughly mix all constituents, blend briefly in 1/2 cup batches and remix.

## 1.3 TOOTH POWDER (Jareds)

Orris Root Powder	4 ounces
Arrowroot	4 ounces
Myrrh Gum	2 ounces
Licorice Root	1.5 ounces
White Oak Bark	1.5 ounces
Golden Seal Root	1 ounce
Bistort Root	1 ounce
Peppermint Oil	1/2 teaspoor

Mix powdered herbs thoroughly with the Peppermint Oil.

## 2. GASTRO-INTESTINAL

#### 2.1 STOMACH TEA

Star Anise	3 parts
Ginger Root	2 parts
Papaya Leaf	2 parts
Fennel Seed	

Camomile	2	parts
Comfrey Leaf	2	parts
Peppermint (or Poleo)	2	parts
Angelica or Calamus	1	part

As a simple infusion as needed for dyspepsia or mild gastritis.

#### 2.2 LAXATIVE TEA

Drink as a simple infusion in evening.

#### 2.3 COMFREY-MINT-LEMON TEA

Comfrey Leaf...... 3 parts Peppermint...2 parts Lemon Balm.1 part

Drink as a simple infusion for gastritis and pre-ulcer pain

#### 2.4 PAPAYA-MINT-LEMON TEA

Papaya Leaf..3 parts Spearmint.....2 parts Lemon Grass 1 part

Drink as a simple infusion for indigestion and disempacho

## 2.4 COLON TONIC (Modified Thomsonian)

Stimulates peristalsis for chronic constipation of long duration. 2 "00" caps with water, morning and evening. When feces soften up go to 1 capsule twice a day.

#### 2.5 BITTER TONIC

Gentian Root 2 parts	
Quassia Wood	2 parts
(or Castela)	(2 parts)
Angelica Root/Seed	2 parts
Cardamon Seed	1/2 part
Bayberry Bark	

Tincture 1:4, 50% alcohol. Best for chronic conditions, such as recovering anorectics, achlorhydia, chemotherapy queasiness. Take 10-15 minutes before meal..5-15 drops.

#### 2.6 ILEO-CECAL TONIC

Tincture 1:4, 50% alcohol. Use for giardiasis, amebiasis, especially with ileo-cecal irritability. With active diarrhea, take 1/2 teaspoon every 2 hours, alternating with 4 oz. skim milk. With poor milk tolerance, use blackberry or pomegranate juice concentrate ...1-2 tablespoons, straight up.

## 2.7 CATNIP-FENNEL TINCTURE

15-30 drops as needed for acute gastritis or simple dyspepsia.

## 2.8 NEUTRALIZING CORDIAL (Modified)

- **Step 1.** Dissolve 16 grams of potassium carbonate in 250 ml Simple Syrup
- Step 2. Mix the tinctures, spirit and diluted alcohol.
- **Step 3.** Mix both liquids, stirring or blending until KCO3 is dissolved.
- **Step 4.** Add additional diluted alcohol to the total (if necessary) to bring the total volume to 1000 ml.

Use a teaspoon or two for nausea, gas pains, dyspepsia, tenesmus, diarrhea AND constipation. An elegant pharmaceutical that may be the single closest thing to a universal GI tonic. Unfortunately it is no longer made by American manufacturers.

## 3.LIVER/BILIARY

#### 3.1 LIVER TONIC

<b>Barberry or Oregon Grape. 2 parts</b>	
Milk Thistle Seed	2 parts
Chaparral (Larrea)	1 part
Toadflax (Linaria)	1 part
Echinacea	1 part
Burdock Rt or Seed	1 part
Yellow Dock	1 part
Leptandra or Blue Flag Rt	1 part

An old-fashioned "shotgun" formula. Grind well and encapsulate. Echinacea is the only one of these herb that deteriorates in a powdered form, so the best compromise would be to keep it as a rather coarse grind, the rest as fine a powder as desired.

Useful for passive liver "heaviness", with periodic light stools and/or frontal headaches brought on by overeating or eating rich foods when tired. Look for greasy hair, acne on the cheeks (both kinds of cheeks) and acne around the mouth. It should be tried for those that regularly work with solvents or that drink regularly, whether in moderation or excess. In general, for those that regularly eat before going to bet and are slow in waking, grouchy and sluggish in the morning...they also have to cut back on the snacks.

**DOSE:** Pronounced liver dysfunction, but w/out pathology: 2 caps, 3X a day. No overt symtoms, but having many of the risks mentioned: 1 cap, 3X a day.

#### 3.2 ROBERT'S BILIARY FORMULA

Chionanthus (Fringetree)1	part
Euonymus (Wahoo)1	
Piper methysticum (Kava)1	
Leptandra (Culver's Root)1	
Marshmallow Root1	

Powder the herbs and encapsulate. 1 capsule after each meal and one just before sleeping. A biliary laxative and gallstone preventative, it is also useful for cholecystalgia or biliary cholic. Larger doses can be irritating; it is better to use the smaller dosages recommended, allowing a day or two to see if they help.

## 3.3 ALTERATIVE TEA

Sassafrass Bark	2	parts
Sarsaparilla Root	2	parts
Burdock Root	1	part
Echinacea Root	1	part

A simple drinkable tea for low-level chronic liver, metabolic and immuno-depressed states...a couple of cups a day, made from a rounded teaspoon in 8 oz. water, brought to a boil and removed from the heat and allowed to cool.

#### 3.4 LIVER DEFICIENCY TINCTURE

Mahonia (Oregon Grape)	2 parts
Yellow Dock Root	
Buckbean	
Pleurisy Root	2 parts
Blue Flag Root	1 part
Ocotillo Bark 1 part	•

Mix from tinctures, with Mahonia, Yellow Dock, Pleurisy Root and Blue Flag made from dry herb, and Buckbean (if possible) and Ocotillo (mandatory) made as fresh tinctures. Take 30 drops, morning, afternoon and before retiring. A constitutional tonic for those with catabolic or adrenergic excess.

#### 3.5 LIVER EXCESS TINCTURE

Burdock Root FE	2 parts
Dandelion Root FE	
Milk Thistle Seeds	
Larrea	
Tribulus (Puncture Vine)	1

Mix from Burdock and Dandelion Fluidextracts (1:1 strength) strong Milk Thistle Seed Tincture (1:2, 75% alcohol), dry Larrea and Tribulus tinctures (1:5) Use 30-60 drops to 3X a day, and decrease protein and fat consumption by at least one third. A constitutional tonic for those with anabolic excess.

## 4.RESPIRATORY

#### 4.1 DECONGESTANT TEA

Ma Huang	3 parts
Mormon Tea	
Yerba Santa	
Coltsfoot Leaves	
Cubeb Berries	

Drink frequently as an infusion. If you find it interferes with sleep or makes you jittery, lessen or delete the Ma Huang.

### 4.2 WHITE PINE COMPOUND COUGH SYRUP

Percolate with 50% alcohol until you have reached 16 ounces.

Add 12 ounces of simple syrup

OR

add 8 ounces of honey and 4 ounces of glycerin

#### 4.3 OSHA COUGH SYRUP

Osha Tincture	l part
White Pine Compound	1 parts

Mix well and PARTY UP!

#### 4.4 COMPOUND SYRUP OF RED ROOT

Red Root Tops	4 ounces
Red Root Rootbark	4 ounces
Wild Lettuce	
Black Cohosh	1 ounce
Pleurisy Root	1 ounce
Wild Ginger Root	1/2 ounce
Lobelia inflata	
Bloodroot	1/4 ounce

Tincture 1:2 with 65% alcohol, (30 ounces) put it aside, add water to the percolation and drip another part (15 ounces), then add 1 part Simple Syrup (15 ounces) "Coughs, pulmonary and hepatic affections" (Kings)

#### 4.5 WINTER SOLTICE COUGH/COLD SYRUP

Wild Cherry Bark	4 ounces
White Pine Bark	3 ounces
Osha Root	3 ounces
Elecampane Root	3 ounces
Balsam Root	
Sweet Root	2 ounces
Licorice Root	2 ounces

**Percolation I**: 50% alcohol, 30 oz.

**Percolation II**: 25% alcohol, open ended.

Evaporate Perc II down to 10 ounces, add to Perc I (40 ounces total.) Add 20 ounces of Monarda Honey, and 10 ounces glycerin.

#### 4.6 MONARDA HONEY

Fresh Monarda Flowers stuffed tightly into a mason jar, Honey added, and topped off several times (until bubbles work completely out and flowers are saturated and covered), kept around for a month or two, pressed out.

#### 4.7 TONSILITIS FORMULA

Red Root	4 parts
Myrrh	
Bayberry	

Make from the individual tinctures, add 5% glycerin. Take 1/2 teaspoon in 2 tablespoons of hot water, gargle well and swallow every 2 hours.

#### 4.8 ALLERGY FORMULA

Yerba Mansa 4 parts Yerba Santa.. 4 parts

Bayberry......3 parts
Ambrosia......2 parts
Horehound......2 parts
Oregon Grape......1 parts

Mix herbs as tinctures, or tincture 1:5, 60% alcohol Use 30-60 drops (1 or 2 squirts) 2 or 3 times a day

This is for the relief of seasonal allergies and resultant secondary hypersensitivities.

## **5.REPRODUCTIVE**

#### 5.1 CANDIDA FORMULA

Dandelion FE	2 parts
Pau D'Arco FE	2 parts
Castela or Quassia Tinct	2 parts
Larrea Tinct	1 part
Sweet Root Tinct	1 part

Mix formula with fluidextracts and tinctures

Use 30-60 drops (1 or 2 squirts) 2 or 3 times a day

A gradual, no die-off approach to alleviating symptoms of systemic candidiasis.

#### **5.2 FEMALE BALANCER**

Mix with fluidextract and tinctures.

Use 30-60 drops (1 or 2 squirts) 2 or 3 times a day

This helps to regulate chronically short estrus cycles, with aggravated anabolic metabolism.

## 5.3 MENOPAUSE: EARLY FORMULA

Vitex agnus-castus Tinct	3 parts
Yellow Dock Tinct	2 parts
Sarsaparilla Tinct	
Peony Tinct	2 parts
Nuphar Tinc	1 part
American Ginseng Tinct	

Mix using tinctures, since some are best fresh, some best dry

Use 30-60 drops (1 or 2 squirts) 2 or 3 times a day

For women in earlier stages of menopause when erratic cycles and flooding result from increasingly disorganized corpus luteal progesterone production.

#### 5.4 MENOPAUSE: LATER FORMULA

Motherwort.. 3 parts Devil's Club......3 parts Black Cohosh......2 parts Licorice......2 parts 

Mix from tinctures or make 1:5, 60% alcohol.

Use 30-60 drops (1 or 2 squirts) 2 or 3 times a day

For women in the later stages of menopause when ovulation has nearly ceased and the main symptoms arise not from erratic progesterone levels, but from the hypothalamus and pituitary attempts to increase diminished estrogen levels.

## 5.5 PMS FORMULA, LONG CYCLE

Vitex3	parts
Devil's Club2	parts
Black Cohosh2	parts
Oregon Grape Root2	parts
Peony2	
Inmortal2	
Anemone (Pulsatilla)1	

Mix as tinctures, since the Anemone MUST be made fresh, the Peony is BETTER fresh, the rest can or should be made dry.

Use 30-60 drops (1 or 2 squirts) 2 or 3 times a day For symptoms that start just before menses, deriving from weak progesterone levels with a premature rise in estrogen before menstruation; the cycle is generally longer than 28 days. Problems include rapid-onset water-retention, headaches, joint pain, and labile emotions.

#### 5.6 PMS FORMULA, SHORT CYCLE

Dandelion FE3	parts
Red Root tincture3	parts
Yellow Dock tincture2	parts
Yerba Mansa tincture2	parts
Bugleweed tincture2	parts
Ocotillo tincture2	parts
Celery Seed tincture1	part

Make from the fluid extract and tinctures

Use 30-60 drops (1 or 2 squirts) 2 or 3 times a day

For symptoms that may start a week before menses, with the estrogen phase short, the progesterone phase strong, and the anabolic dominance showing as late-night energy, sweating, irritability, craving for proteins and fats (but with poor digestion), pelvic congestion (aggravated by fatty foods), and premenstrual acne.

#### 5.7 CERVICAL DYSPLASIA SUPPOSITORIES

(\* you can obtain the same results by slowly evaporating 5 ounces of Echinacea Tincture down to 1 ounce of milky-grey liquid and use that in place of the hard-to-come-by-unless-you-make-it-yourself Fluidextract)

Heat the glycerin on a double boiler, add the Echinacea and Calendula, and maintain at a low temperature for at least 30 minutes to evaporate off some of the alcohol. Add the gelatin(preferably finely powdered) and whisk (or eggbeat) until the gelatin is THOROUGHLY dissolved in the liquids. Don't leave any little gelatinous solids...continue stirring until the liquid is a clear greybrown syrup.

Fill a plastic roll of disposable 3 or 5 ml suppository molds up to the top of the form line. A small turkey baster (no jokes O.K.?) is the easiest tool for this. This should make 80-100 suppositories. The usual two-piece hard plastic or metal suppository molds, although reusable, work TERRIBLY for gelatin-based suppositories, fine for glycerin or cocoa butter types.

USE: A suppository should be inserted at night into the vagina and as close to the cervix as practical. Gelatin-based suppositories do not melt like those made with cocoa butter or gelatin, but dissolve slowly over 8-12 hours, maintaining the herb presence for long enough to facilitate resolution and stimulate regeneration of the tissues. This can be continued for many days if necessary.

**CLAUSE:** If it causes inflammation, stop. I know of no instance where the constituents have caused this reaction, but anything is possible. It is better to deal with such a condition when you can monitor the cervix yourself with a speculum or can have it done for you regularly by a nurse-practitioner or midwife, particularly if a class 2 or class 3 smear is involved, Cervical erosion, of course, is CAUSED by something and stimulating membrane healing is not likely to help much in the long run unless you deal at least to some degree with underlying causes.

**VEGETARIAN NOTE**: Yes, gelatin comes from animals. No, Agar Agar and such are NOT reasonable substitutes. Use gelatin or don't; it's up to you, since I know of no appropriate vegetable substitute. There ARE refined pharmaceutical colloids that are substituted for gelatin, but they are the refined by-products of it anyway, far more expensive, harder to get...and MUCH further from the source.

CAUSES: A common cause is diminished estrogen availability to cervical membranes: if cycles are consistantly longer than 29 or 30 days, you might consider one of the reproductive tonics or simply Don Quai; if you have extended bouts of pelvic congestion with hemorrhoid and/or varicose vein flareups, you might try a liver tonic, ileo-cecal tonic or colon tonic. Another common cause is a chronicly imbalanced vaginal flora...sometimes from a Candida infection, sometimes from bacterial vaginosis. Both are helped by lactobacillus

presence, both through diet and/or douche; candidiasis is highly reactive to sugars (both good and bad), fermented foods and booze...and is usually worse AFTER menses; bacterial vaginosis is not blood-sugar reactive, and is often worse between ovulation and menses. These are thumb-nail pictures and the conditions are highly variable, and not all are treatable through personal measures. Besides, this does NOT involve the thumbnail.

SOURCES: The roles of perforated molds can be obtained from a number of pharmaceutical supply houses. Every pharmacy has these catalogues, and any reasonable pharmacist should be willing to locate a source, tack on a moral profit, and order them for you. Athough unusual, your order is perfectly legal and you have an obvious right to request and obtain the product. The pharmacist is either A) lazy, B) so shell-shocked by the times that he/she figures it must have something to do with drug abuse and refuses on general principle or C) the pharmacist doesn't approve (also on general principle) with folks making their own medicine and D) they used to have their own drug store, got driven out of business by the chains, are now working FOR the chains and understandably hate the world.

Simply explain that you will take your business elsewhere. Then, TAKE your business elsewhere, preferably to a smaller, personally owned drug store. Look for a drugstore named after somebody...like Jack's or Garcia's, or named after a brand of toilet tissue...like Regent's or Deluxe or Standard, or after a neighborhood, like Midtown, Uptown or Lakeside. Establishing a rapport with an adventurous and inquisitive pharmacist is VERY important if you wish to make anything more than teas and tinctures. After all, most herb formulating derives directly from the pharmacy of 50 or 100 years ago. They can get you glycerin, anhydrous lanolin, potassium carbonate, even bees-wax and colophony or rosin. It's in their catalogues...as is simple syrup, coca-cola syrup, even White Pine Compound.

## **5.8 HPV (Venereal Wart) SUPPOSITORIES**

Echinacea Fluidextract	30 ml
Glycerin	175 ml
Gelatin (N.F.)	25 grams
Thuja Oil	

Make the same way as the previous, but add the highly evaporative Thuja Oil to the dissolved syrup JUST before you begin to pour into the molds. Each suppository ends up containing about a drop of Thuja Oil...very easily tolerated.

**USE:** The same as the previous, although it may need to be continued for month or more, and some herbs should be taken internally as well, such as Caulophyllum (Blue Cohosh), Echinacea, Trillium (fresh tincture only), Nuphar, Lomatium (it seems to help for some reason) and Thuja tincture (for its moderate anti-viral effects against papillomavirus).

CAUSE: Sexual transmission...long ago or recently.

**CLAUSE:** This condition presents a big potential risk for women...long term. The number of sexual partners one has (any gender), the greater the likelyhood of picking it up. It also doesn't go away, just goes dormant, like herpes or plantar warts (a related virus). You're in a monogamous relationship for ten

years, your partner has a parent die and you've both just moved: if they break out in venereal warts it MIGHT only be the stress...and a flareup of something they had 15 years ago. It also might be the stress COMBINED with some R&R with a new friend.

#### 5.9 CANDIDA DOUCHE

#### MIX IN A BLENDER JUST BEFORE USING:

Witch Hazel Extract (comme	rcial)3 tablespoons
Golden Seal Tincture	1 teaspoon
(or Oregon Grape Root	$\dots (1/2 \text{ teaspoon})$
WITH Anemopsis	
Warm Water	
Table Salt	1/2 teaspoon
Yogurt, live culture	3-4 tablespns

Douche once in the evening, either every second or third day. Eat,if possible, 6-8 ounces of live culture yogurt a day, and check urine pH in the morning with a teststrip...it should be under 7.0 and above 6.0, i.e. acidic. If often alkaline (above 7.0), decrease carbohydrates (especially fruits, sweets and tubers) and increase proteins. If too acidic, modify in the other direction.

## 5.10 HAYDEN'S VIBURNUM COMPOUND(Modified)

1.5 ounces
1.0 ounce
1.0 ounce
(1.0 ounce)
1/2 ounce
1/4 ounce
1.0 ounce
3/4 ounce
1/2 ounce

Grind herbs together, moisten with a few tablespoons of alcohol, and let sit, covered, overnight. Tincture with 50% alcohol menstruum to a 1:4 tincture (about 26 ounces). Add 6.5 ounces (by volume) of Simpole Syrup to bring the final strength to 1:5. You MAY substitute equal parts of glycerin and honey for the syrup, but it tasts wierd. Take 1-3 teaspoons in HOT water for Killer Kramps, particularly of it is a problem that only happens every few months, or occurs only the first night of menstruation. Regular monthly dysmennorhea from organic causes, rarely responds very well to H.V.C.

This is the Queen of Cramp Remedies.

## **6.URINARY TRACT**

## **6.1 URINARY TINCTURE (all purpose)**

Buchu Leaves	3 parts
Juniper berries	
Yerba Mansa	
Pipsissewa	
Eryngium yuccafolium	

Mix as tinctures or make 1:5, with 65% alcohol.

Use 30-60 drops (1 or 2 squirts) in 8 ounces of water, 3-4 X a day A general diuretic and antimicrobial for water retention and mild urinary tractinfections.

#### **6.2 ALKALIZING TEA**

Nettle Leaf	1 part
Red Clover Tops	.1 part
Alfalfa	
Horsetail (optional)	.(1 part)

Drink the hot or cold tea freely. If under metablic stress you might even use the tea as your main liquid. Good for acid urine, uric acid kidney stones, post-op recovery, PMSl acidity and as part of an osteoporosis regimen.

## 7.LYMPH/IMMUNE

#### 7.1 LYMPH TONIC

Burdock Root	8 parts
Red Root	6 parts
Echinacea Root	6 parts
Ocotillo	4 parts
Stillingia Root	2 parts
Yerba Mansa Root	2 parts
Aristolochia serpentaria	1 part
Blue Flag	
Poke Root	-

Mix from the individual tinctures, and add 5% glycerin. A general tonic for moderate chronic immunosuppression, not for acute conditions. 60 drops 4X a day.

#### 7.2 IMMUNE STIMULANT #1

Echinacea Root	4 parts
Red Root	
Osha Root	2 parts
Myrrh Gum	2 parts
Ocotillo	2 parts
Stillingia	1 part
Aristolochia	1 part
Baptisia	1 part
Arnica	
Capsicum	1 part

Mix from the seperate tinctures. Use 30-60 drops in 2 to 4 ounces of hot water every 3 hours during acute infections in adrenalin stress folks or those with a tendency to cold hands and feet and who seldom break a sweat when sick. Best taken in hot water. Bon apetit!

#### 7.3 IMMUNE STIMULANT #2

Echinacea	4 parts
Red Root	2 parts
Osha	
Yerba Mansa	
Calendula	
Capsicum	
Thuja plicata	

Mix from the tinctures.

Use 30-60 drops (1 or 2 squirts) 2 to 4 times a day.
Used to stimulate resistance to short-term infections in the immune-competant who sweat easily, tend to a mesomorph somatotype, anabolic and "yangy".

## 7.4 LYMPH ANTI-EFFECT (for mumps, mono, etc.)

Ocotillo3	parts
Echinacea3	parts
Polymnia2	parts
Red Root2	parts
Poke Root 1	part
Arnica1	part

Make from the individual tinctures, adding 5% glycerin. Take 30 drops with warm water every half hour until mild overload symptoms of sweating, salivation, irritability and semi-nausea, then back off to one dose 4-5 times a day.

For active lymphatic infections in strong adults.

## 7.5 TONSILITIS FORMULA

Red Root4	parts
Myrrh2	
Bayberry2	parts

Make from the individual tinctures, add 5% glycerin. Take 1/2 teaspoon in 2 tablespoons of hot water, gargle well and swallow...every 2 hours.

#### 7.6 IMMUNE TONIC

Echinacea	5 parts
Stillingia	
Lomatium dissectum	2 parts
Baptisia	1 part
Myrrh	1 part
Aristolochia	1 part

Mix from the tinctures, or make 1:5, 65% alcohol.

Use 30 drops (1 squirt) 2 or 3 times a day For stimulating those with chronic immune suppression, associated with chronic depression, slow viruses, mycosis, and immune suppression from anti- inflammatories and chemotherapy

## 8.CARDIO-VASCULAR

#### 8.1 GREASEBALL HYPERTENSION

Equisetum	4 parts
Dandelion Root	4 parts
Passion Flower	
Crataegus	2 parts
Prickly Ash	
Capsicum	1 part
Aristolochia serpentaria	1 part

Tincture 1:4 with 50% alcohol, after setting two days moistened. 1/2 teaspoon 2X a day, with a blood anti-viscosity agent, such as Red Root, Vit.E or an aspirin.

## 8.2 HYPOTENSION FORMULA (Kidney deficient)

Kola Nuts4	4 parts
Gotu Kola	3 parts
Licorice Root	2 parts
Korean red Ginseng	
Lily-of-the-Valley Root	

Tincture 1:4, 50% alcohol 1/2 teaspoon AM and midday.

#### 8.3 TACHYCARDIA FORMULA

Lycopus	3 parts
Leonurus	3 parts
Passiflora	
Crataegus	2 parts

Tincture 50%, 1:4 30-60 drops, 4X a day

#### 8.4 CIRCULATORY STIMULANT

Prickly Ash Bark	3 parts
Ginger	2 parts
Inmortal Root	2 parts
Osha Root	
Capsicum	1 part

Tincture 60%, 1:4 20-40 drops, 4X a day 30 drops before meals as a bitter tonic, 30 drops before retiring.

## 8.5 ARTERIOSCLEROSIS FORMULA (health good, memory bad)

Make with finished tinctures, add 5% glycerin.

## 9.TOPICAL

#### 9.1 PODOPHYLLIN OINTMENT

Percolate the Podophyllum Root in 95% alcohol for a 1:2 strong tincture. Add the Myrrh Tincture, and evaporate both slowly over a low heat to 2 fluid of sickening goo. Add the olive oil and rosin, heat until all is dispersed, check for "set" on a metal surface by dripping some on it, and add an ounce or two of beeswax if necessary. Pour into tins, and apply happily to your venereal warts or herpes sores.

# **9.2 CHAC SALVE (Calendula, Hypericum, Arnica, Cajeput)**2 ounces ...... Calendula Flowers

Make a 1:6 steeped oil with the Calendula and Arnica (as usual), add the Hypericum Oil (made from the fresh flowers), heat slowly, dissolve the beeswax, add the Cajeput (actually Tea Tree Oil, but much cheaper by the older name), and pour into tins. Can also be called OSFA Salve (One Size Fits All) or Rescue Grease or Limbaugh Leech.

### 9.3 MUSCLE BALM

Poplar Bud Oil (steeped)	2 ounces
Arnica Oil (steeped)	
Hypericum Oil (steeped)	
Oil of Wintergreen	
Olive Oil	

A Topical oil, used as an analgesic, counterirritant, and anti-inflammatory: 30-60 drops rubbed into the area aids dispersal and resolution of exudates. It is to strong for a true massage oil.

#### 9.4 "TRAUMA TINCTURE"

Make by mixing tinctures, or if fortunate in timing, from the fresh plants, using the volumes of compressed herbs for the parts. Useful in acute conditions, such as sprains, contusions, hyperextensions and muscular-skeletal trauma. It should be applied topically and taken internally, (10-20 drops) both modalities every two hours for three or four rounds. Taken internally it will also help for faintness and light-headedness resulting from parasympathetic or vagus discharge caused by physical manipulation or trauma.

#### 9.5 ROTGUT LINIMENT

Grind up the herbs together and soak them in the rubbing alcohol (shaking daily) for two weeks. Apply the squeezed-out liniment by hand or with a liniment-moistened cloth to sprains, bruises and hyperextensions. Wash your hands immediately AND, eventually, the parts the liniment is applied to. Avoid touching your eyes, mouth or naught bits until your hands are clean...for obvious (cayenne) reasons.

CLAUSE: Besides the previous, the smell is genially obnoxious and proleteriat.

#### 9.6 ECHINACEA SALVE

Echinacea Purpurea Flo	owers5 ounces
Alcohol	3 ounces
Olive Oil	35 ounces
Beeswax	7 ounces

Grind and sift the Echinacea Flowers (roots will not work). Mix the alcohol with the flowers in a stainless steel bowl with a lid, cover and let stand for at least 2-3 hours. Blend the moist herb with olive oil in a hearty blender (Oster at high speed or Vitamix at slow speed) until the container gets warm. Filter through muslin, squeezing the marc as well as possible, and heat the oil slowly in the top of a double boiler. Chop and add the beewsax, continuing the low heat until the beeswax has melted. Pour into containers. Use freely for hemorrhoids, blisters, cold sores, stings, vaginitis, anal fissures and any inflammed swellings

# 9.7 GOLDEN SEAL SALVE

Golden Seal Herb (no roo	ot)b ounces
Alcohol	3 ounces
Ammonia Water (3-4% se	olution) 2 tablespoons
Olive Oil	
Beeswax	7 ounces

Grind the herb, moisten with the alcohol THEN the ammonia water, cover, and let stand for 2-3 hours. Proceed as with Echinacea Salve. The ammonia is necessary to stabilize the alkaloids in the Golden Seal. You can omit it if you wish, but the end result is somewhat inferior. The herb contains the same constituents as the root, although with a shorter shelf-life, and using the leaf spares this vanishing plant from further decimation through the digging of wild plants (STILL the primary source of roots on the market).

## 10. CENTRAL NERVOUS SYSTEM

#### 10.1 RELAXING TEA

Camomile Flowers	3 parts
Catnip	3 parts
Passion Flower	
Spearmint	2 parts
Lemon Balm	2 parts
Hops	2 parts
Viscum album	

Drink the simple infusion as needed, particularly in the evenings. If you know you will have trouble sleeping, start drinking it BEFORE you can't sleep..

#### **10.2 NERVE TONIC**

Valerian	4 parts
Verbena	4 parts
Skullcap	4 parts
Passion Flower	
European Mistletoe	2 parts
Damiana	
Siberian Ginseng	
Cordydalis	

3-6 "00" capsules as needed. Lower doses help anxieties, larger doses act as an overt sedative. (Can be tinctured, 50% alcohol)

## **10.3 SPEED DETOX FORMULA**

Bee Pollen	6 parts
Fu-Tze (Cured Aconite)	
Mahonia	

6-12 caps a day with 250 mg. of tyrosine a day and water-soluble vitamins such as B complex and C. Used to help someone get through the first week of amphetamine or cocaine withdrawal.

#### **10.4 V's NERVE TONIC**

Passiflora FE	5 ounces
Leonurus cardiaca	1 ounce
Crataegus	1 ounce
Verbena hastata	1 ounce
Hypericum (fresh)	1 ounce
Selenicereus (fresh)	1/2 ounce

Make from separate tinctures. Dose 60-90 drops as needed. For physical agitation, nervousness, and stress palpitations

#### 10.5 B's ANTIDEPRESSANT

Hypericum (fresh)	6	parts
Aralia Berries (fresh)	5	parts
Licorice Root	4	parts
Oplopanax (fresh)	2	parts
Panax quinquefolium		

Mix as tinctures. Dose: 60-90 drops up to four times a day. For morbid depression with congestion and dry mucosa

#### 10.6 K's SYRIAN RUE FORMULA

Syrian Rue	58 parts
Avena fatua (fresh)	58 parts
Panax (uncured)	
Rauwolfia	58 parts
Lobelia (fresh)	8 parts

Mix as tinctures. 1/2 to 1 teaspoon, 3X a day Antidepressant for adrenergic individuals

NOTE: As an Ayurvedic therapist, my friend has access to Rauwolfia serpentina. As a once widely used crude drug (the source of reserpine), it is seldom to be found in herb commerce...and perhaps is illegal. I personally have seldom used the plant, have always considered it, like digitalis, a "True" crude drug best left to medicine. With a body of experential use in Ayurvedic Medicine, wherein my friend has learned it, I would trust the use here. I have never inquired as to his rather peculiar scheme of proportions. I would have thought that the presence of what amounts to nearly a quarter of the tincture of Rauwolfia to be an eccessive amount. In fact the formula is quite effective, and seems relatively safe.

Since I feel perfectly comfortable using toxic herbs that I know personally (I prefer the term "Low Dosage), including such shit as Aconite, Gelsemium and Veratrum, herbs that cause fellow herbalists who aren't familiar with their safe use to cringe and scurry, I guess my reluctant attitude regarding the herbal use of Rauwolfia is similarly the result of only knowing it "by rep" and not as a specific entity.

#### 10.7 COMPOUND TINCTURE OF CANNABIS (1910)

Lupulin (Hops resin)	3 parts
Valerian Root	3 parts
Cannabis "shake"	2 parts

#### Tincture 1:4 in 65% alcohol.

When finished, add enough fresh Pulsatilla Tincture to bring final strength to a 1:5 potency. A narcotic-analgesic, especially for referred visceral pain. Dose 15-45 drops as needed. Cannabis is, of course, completely illegal to possess in ANY form. With the increased use by authorities of property confiscation, wherein THEY keep YOUR stuff even if you never get to court or are even charged with possession (and pigs will fly before they ever give it back to you, since local police get to keep most of the money they raise from auctioning it off), having this plant is rather riskier at present. (Did I miss something when I learned about the Constitution in Civic's Class??)

Those of you having a relationship to Cannabis dating from the Old Days, with fond memories of youth, more hair, lower gravitational pull and Tie-Dye teeshirts should especially bear this in mind. Those involved in the drug business, both those that deal and those that chase, are MUCH wierder. And what cost \$10 20 years ago now costs \$100-\$200 (and the lid is STILL short). Myself, I have this rather strange attitude towards Cannabis. It's just another goddamm plant medicine, and I REFUSE to take it all that seriously.

#### 10.8 POST-TREATMENT RELAXER

Skullcap	3 parts
Betony	3 parts
Cimicifuga	2 parts
Hypericum	
Gelsemium	_

Mix from the tinctures. Use 30-60 drops (1 or 2 squirts) 2 or 3 times a day To alleviate post-treatment myo- and neurogenic discomfort from body work, and lessen the tendency of the body to immediately revert to patterning

#### 10.9 POST-TREATMENT STRENGTHENER

Nettles	3 parts
Echinacea	3 parts
Devil's Claw	2 parts
Licorice	
Larrea	

Make from the tinctures or tincture 1:4 with 55% alcohol.

Use 30-60 drops (1 or 2 squirts) 2 or 3 times a day

To aid in and shorten the duration of connective tissue, fascia and muscle regeneration after injury, infection or surgery; to lessen free-radical damage to collagen and elastin from inflammation that degrades into congestion. It also aids in recuperation and healing from chronic tendonitis.

## 11.ACUTE DISEASE

#### 11.1 EGO CAPSULES

Echinacea Root 2	parts
Garlic2	parts
Osha Root2	parts
Cayenne1	part

2-4 capsules as needed for colds, flu, various viral junk.

SEE ALSO:7.3 IMMUNE STIMULANT #2

## 12.CHRONIC/METABOLIC

#### 12.1 ALTERATIVE SYRUP

Aralia Root	3 ounces
Oplopanax	2 ounces
Xanthoxylum Bark	2 ounces
Smilax (Šarsaparilla)	
Burdock Root	
Guaiacum or Stillingia	1 ounce
Sassafras or Sweet Root	1 ounce
Pipsissewa	1 ounce
Blue Flag Root	

Tincture 1:3 with 65% alcohol, add 1 part water (15 oz.) & 1 part simple syrup or honey (15 oz.) to bring to a final 1:5 strength

#### **12.2 DETOX FORMULA**

Oregon Grape Root	3 parts
Silybum Fluidextract	
Larrea	
Yellow Dock	
Aristolochia watsonii	

Mix from the fluidextract and tinctures. Use 30-60 drops (1 or 2 squirts) 3 or4 times a day. This is meant to assist cleansing of the blood, liver and lymph system when recovering from alcohol, drug abuse, even long-term overmedication.

SEE ALSO: 6.2 ALKALIZING TEA SEE ALSO: 7.1 LYMPH TONIC

## 13. FOR PLEASURE OR FUN

#### 13.1 FIVE MINT TEA

Spearmint	2 parts
Peppermint	2 parts
Poleo	2 parts
Lemon Balm.	
Catnip	1 part

#### 13.2 ROOT TEA

Sassafras	2 parts
Sarsaparilla	
Licorice Root	1
(Chinese Cinnamon)	
(Sweet Root)	

#### 13.3 FLOWER TEA

Chamomile	3 parts
Orange Flowers	3 parts
Hibiscus Flowers	2 parts
Rose Buds	2 parts
Lavender Flowers	2 parts
American Saffron	1 part
Calendula Flowers	1 part
(Cyani flowers	1/2 part)

(If it doesn't sell, add some essential oil to it and pawn it off as a potpourri!)

#### 13.4 MESOMARBLES

Bee Pollen	8 parts
Guarana	2 parts
Korean "Red" Ginseng	

Powder together and take pinches as food, or mix with a little honey and form balls.

## 13.5 GUARANA FUDGE (AKA Speed Fudge)

Mix together:	5 cups brown sugar
	2 1/2 cups milk
•••••	
Add later:	1 cube sweet butter
	6 ounces powdered Guarana Bean
	Various nuts (if desired

Boil to the soft ball stage. Remove from heat for 10 minutes, add 1 cube sweet butter. Mix in 6 ounces of powdered Guarana Bean, and stir constantly until the glistening surface starts to look like frosting and stiffens. Add nuts (if desired), scrape onto greased surface, cool until set, and cut.

**WARNING**: This stuff tastes GREAT, but speeds like a mother. This has no self-redeeming qualities...it's just happily perverse.

**Dosage**: start with a small square, and wait an hour before overlapping with another piece. Guarana is the Queen of caffeine plants (with some hypoxanthines thrown in) and will generally (to quote Dr. Donald Culbreth) produce gayety, restlessness, quick perception and wakefulness, while slowing the pulse and impairing the appetite. Eating it slows absorption and can extend its effects well past the 3-4 hours you might expect from a similar amount of coffee. The fudge tastes good, the effects of Guarana are fun, but if you pig out on this stuff you can get to a level of pure caffeine jitters that completely overrides the subtleties that, at a more reasonable amount, make Guarana so nice.

For several years in the early 70s I manufactured this fudge, packaged and labeled it and wholesaled it to truckstops in the L.A. area. One time I made up a huge batch to give to my sales reps to take to a Gift Show (I was making a line of herbal gift boxes...teas, spice blends, stuff like that). They passed it all out, the show ended up lasting until dawn, with vendors, product representatives and buyers wandering around spending, ordering, chating, dancing, giggling and kvetching long after the doors closed. The reps returned to L.A. only to find that they had walked off with someone else's order book, had lost theirs, and promptly slept for two days. I did not do this again. Neither should you..

## SIMPLE SYRUP

850 grams of WHITE sugar (any other form, such as turbinado or dried sugar cane juice will ferment) 450 to 475 ml of water

Blend together, pour into a saucepan, and heat slowly until the sugar is completely dissolved. Will make a liter of simple syrup. Store in a cool place, but no refrigeration is necessary

## **MATERIA MEDICA**

This defines all the specific tinctures and preparation called for in those formulas not made from the individual botanicals but by mixing finished products. Since you presumably have purchased or made the tincture (if you are going to put the formula together) I have also included the OTHER forms the same herb can be used in, as well is the dosage ranges of the single herb...NOT to be confused with any recommendations made for the formula that contains it. (Did that make sense??!)

(\*) Not appropriate in pregnancy, at least by itself.

## AMBROSIA (Ragweed, Bursage, Yerba del Sapo)

HERB. Standard Infusion, 1-2 ounces. Fresh Tincture [1:2] 20-40 drops, both to 4X a day.

#### \*ANEMONE HIRSUTISSIMA (Pulsatilla, Pasque Flower)

FRESH PLANT. Tincture [1:2] 3-10 drops, to 4X a day. Use with care.

## **ANEMOPSIS (Yerba Mansa, Lizard Tail)**

ROOT. Tincture [Fresh Root, 1:2, Dry Root, 1:5, 60% alcohol] 20-60 drops to 5X a day. Cold Infusion, 2-4 ounces similarly. HERB. Standard or Cold Infusion as needed.

## \*ANGELICA SINENSIS (Dong Qua'i, Tang Kwei)

CURED CHINESE OR KOREAN ROOT. Large slices, 1/16 to 1/8 a day, chewed and swallowed. Tincture [1:5, 70% alcohol] 5-20 drops Capsules, #0, 1 to 3 a day.

## **APIUM (Celery)**

SEED. Simple Infusion, 1/2 to 1 teaspoon of seeds in cup of hot water. Tincture [1:5, 50% alcohol] 10-30 drops to 4X a day

## ARCTIUM (Burdock)

ROOT Cold Infusion, 2-4 ounces. Fluidextract [1:1, 60% alcohol] 15-30 drops. Tincture [Fresh Root, 1:2, Dry Root, 1:5, 60% alcohol] 30-90 drops, all 3X a day. SEED. Tincture [1:5, 60% alcohol] 10-25 drops.

\*ARISTOLOCHIA CALIFORNICA (Cal.Snakeroot, Cal.Dutchman's Pipe)

WHOLE PLANT. Fresh Plant Tincture [1:2] 5-20 drops to 3X a day.

## \*ARISTOLOCHIA SERPENTARIA (Virginia Snakeroot)

ROOT and HERB. Tincture [Fresh Plant, 1:2, Dry Root, 1:5, 70% alc.) 5-20 drops to 3X a day. For extended use, use only low doses, and within a formula.

## \*ARISTOLOCHIA WATSONII (Indian Root, Raiz del Indio)

Same as previous, but safer for extended use, as is A. californica.

## \*ARNICA (A. montana, A. cordifolia, A. latiflora, etc.)

WHOLE PLANT. Fresh plant, flower or root tincture [1:2], dry flowers or herb tincture, [1:5, 50% alcohol] and dry root tincture [1:5, 60% alcohol]. EXTERNAL:dilute with 1 or 1 parts of water, applied as needed. INTERNAL use 3-10 drops. TAKE INTERNALLY WITH CARE

## \*ASCLEPIAS ASPERULA (Inmortal, Antelope Horns)

ROOT. Tincture [1:5, 50% alcohol] 5-30 drops, Capsules, #00, 1-2, to 3X a day.

## \*ASCLEPIAS TUBEROSA (Pleurisy Root)

ROOT. Cold Infusion, 2-4 ounces. Tincture [1:5, 50% alcohol] 30-90 drops. Capsules, #00, 1-3, all to 3X a day.

## AVENA (A. sativa, A. fatua, Oats, Wild Oats.)

UNRIPE FRESH SEED, w/"Milky" center. Fresh Tincture [1:2], 10-20 drops to 4X a day.

STRAW (dry stems). Standard Infusion, 4-8 ounces.

### **BAPTISIA (Wild Indigo Root)**

ROOT. Tincture [1:5, 65% alcohol],

WHOLE PLANT. Fresh Tincture [1:2], both taken 10-25 drops, to 3X a day.

**USE WITH CARE; better long term in formulas** 

## BAROSMA (Agothasma, Buchu)

LEAVES. Cold Infusion (rewarmed) 1-3 ounces. Tincture [1:5, 80% alcohol], 30-60 drops in water. Both forms to 4X a day.

Bayberry see Myrica

## **BÉRBERIS VULGARIS (Common Barberry)**

ROOT. Tincture [1:5, 50% alcohol] 10-60 drops. Cold Infusion, 1-3 ounces. Capsules, #00, 1-3. All to 3X a day. See MAHONIA (Oregon Grape) as well.

Betony see Pedicularis

Black Cohosh see Cimicifuga

Blue Cohosh see Caulophyllum

Blue Flag see Iris

Bugleweed see Lycopus

Burdock see Arctium

## **CALENDULA OFFICINALIS** (European Marigold)

FLOWERS. Tincture [Fresh Flowers, £1:2, Dry Flowers, 1:5, 70% alcohol] 15-30 drops, to 4X a day. Dilute with several parts of water for topical use.

## **CAPSICUM (Cayenne, African Bird Peppers)**

FRUIT. Tincture [1:5, 95% alcohol] 5-15 drops. Capsules, #0, 1-2 Catnip see Nepeta

## \*CAULOPHYLLUM (Blue Cohosh)

RHIZOME/ROOT. Tincture [1:5, 60% alcohol] 5-20 drops, usually in formulas

## **CEANOTHUS (Red Root, New Jersey Tea)**

ROOT.Cold Infusion, 2-4 ounces. Tincture [Fresh Root, 1:2, Dry Root, 1:5, 50% alcohol] 30-90 drops, to 4X a day.

Celery see Apium

# **CEREUS GRANDIFLORUS (Selenicereus, Peniocereus, Night-Blooming Cereus)**

FRESH STEMS. Fresh Tincture [1:2], 5-15 drops (Selenicereus spp.); 10-25 drops, (Peniocereus greggii). Either one to 4X a day.

CHIMAPHILA (Pipsissewa, Prince's Pine)

HERB. Tincture [Fresh Plant, 1:2, Dry plant, 1:5, 50% alcohol), 20-50 drops, to 4X a day. Standard Infusion 4-8 ounces.

#### **CINNAMOMUM** (Cinnamon, Canela)

BARK. Standard Infusion 2-4 ounces. Tincture [1:5, 60% alcohol, 5% glycerin] 20-50 drops, both to 4X a day.

ESSENTIAL OIL. 2-5 drops in capsule.

## **COMMIPHORA (Myrrh Gum)**

RESIN. Tincture [1:5, 95% alcohol] 5-20 drops. Capsules, #0, 1-2, both to 3X a day. Topically, dilute tincture with water as needed.

Dandelion see Taraxacum

Devil's Claw see Harpagophytum

Devil's Club see Oplopanax

Dong Quai see Angelica sinense

#### **ERIODICTYON (Yerba Santa)**

LEAVES (from current year's growth). Tincture [Fresh Herb,1:2, Dry Herb, 1:5, 75% alcohol] 20-30 drops, to 5X a day. Standard Infusion. 2-4 ounces as needed.

## **ERYNGIUM YUCCAFOLIUM (Eryngo, Rattlesnake Master,**

#### **Button Snakeroot)**

WHOLE PLANT. Fresh Plant Tincture, 1:2, 15-30 drops in warm water.

ROOT. Weak Decoction, 4-8 ounces. Dry Root Tincture, [1:5, 60% alcohol], 20-40 drops, in cup of water. All forms to 4X a day.

Fennel Seed see Foeniculum

#### FOENICULUM (Fennel Seed)

SEED. Tincture [1:5, 60% alcohol] 30-60 drops in warm water as needed. Standard Infusion as needed.

## \*FOUQUIERIA SPLENDENS (Ocotillo)

FRESH BARK. Tincture, [1:2] 10-30 drops, to 4X a day.

## \*GELSEMIUM (Yellow Jasmine)

ROOT. Tincture [Fresh Root 1:2, Dry Root, 1:10, 65% alcohol] 2-10 drops.

## **DANGEROUS IN LARGER DOSES**

Ginseng see Panax

## \*GLYCYRRHIZA GLABRA (Licorice)

ROOT. Tincture [1:5, 50% alcohol] 3-60 drops. Strong Decoction, 1-3 ounces, either to 3X a day. Can occasion sodium retention.

## HARPAGOPHYTUM PROCUMBENS (Devil's Claw)

TUBERS. Capsules, #0, 2-4 in evenings. Cold Infusion 4-6 ounces similarly. Strong Tincture [1:2, 60% alcohol], 1/2 to 1 teaspoons. Some recommend that two weeks on and two weeks off is the best approach to Devil's Claw. I have found a month of continuous use is the best way to begin.

Horehound see Marrubium

## \*HYDRASTIS (Golden Seal)

ROOT and LEAF. Fresh Plant Tincture [1:2], 15-30 drops. Dry Root Tincture, [1:5, 70% alcohol] 20-50 drops. Dry Herb Tincture [1:5, 60% alcohol] 30-75 drops all the above to 4X a day. Dry Root capsules #00, 2-4, to 3X a day. Standard Infusion of leaf 1-3

ounces, to 4X a day. The root is only partially soluble in water and should not be used in tea; this old friend is disappearing in the wild: Scrophularia (Figwort) roots can be substituted.

Inmortal see Asclepias asperula

#### \*IRIS VERSICOLOR, I. MISSOURIENSIS (Blue Flag)

RHIZOME. Tincture [1:5, 80% alcohol], 5-20 drops to 3X a day. USE WITH CARE.

#### JUNIPERUS (Juniper)

BERRIES. Tincture [1:5, 75% alcohol], 20-40 drops. Standard Infusion, 2-3 oz., to 3X a day. LEAVES: Standard Infusion, 2-4 ounces, or boiled for inhalation. For short term use; may irritate the kidneys eventually.

## LARREA (Chaparral, Gobernadora, Creosote Bush)

LEAFING BRANCHES. Tincture [1:5, 75% alcohol], 20-60 drops. Capsules, #00, 2-4 a day. Strong Decoction for topical use.

#### \*LEONURUS CARDIACA (Motherwort)

FLOWERING HERB. Tincture [Fresh Plant 1:2, Recent Dry Plant, 1:5, 60% alc.] 30-60 drops, to 4X a day. Standard Infusion, 2-4 oz.

Licorice see Glycyrrhiza

## LIGUSTICUM PORTERI (Osha, Chuchupate, Mountain Lovage)

ROOT. Tincture [Fresh Root, 1:2, Dry Root, 1:5, 70% alcohol], 20-60 drops up to 5X a day. Cold Infusion, 2-6 ounces, as needed.

## LOMATIUM DISSECTUM (Leptotaenia, Biscuit Root)

ROOT. Tincture [Fresh Root, 1:2, Dry Root, 1:5, 70% alcohol], 10-30 drops up to 4X a day. Cold Infusion, 2-3 ounces also to 4X a day.

## LYCOPUS (Bugleweed, Water Horehound)

HERB. Fresh Plant Tincture [1:2] 15-40 drops, to 3X a day. Standard

Infusion of recent plant, 2-3 ounces, also to 3X a day.

## **MAHONIA (Oregon Grape, Algerita)**

SAME as Berberis.

## **MARRUBIUM (Horehound)**

FLOWERING HERB. Cold Infusion, 2-4 ounces. Tincture [Fresh Plant, 1:2, Dry Plant, 1:5, 50% alc.], 30-90 drops, both to 4X a day.

## **MENYANTHES (Buckbean, Bogbean)**

WHOLE PLANT. Tincture [Fresh Plant, 1:2, Dry Plant, 1:5, 50% alcohol], 10-30 drops, to 3X a day. Cold Infusion, 1-2 ounces, also to 3X a day.

Milk Thistle see Šilybum

Motherwort see Leonurus

Myrrh see Commiphora

## MYRICA (Bayberry)

BARK and ROOTBARK. Tincture [Fresh Bark, 1:2, Dry Bark, 1:5, 60% alc.] 20-60 drops. Cold Infusion, 2-4 ounces, both to 3X a day. The diluted tincture or the infusion for topical use or as a gargle.

**NEPETA CATARIA (Catnip)** 

FLOWERING HERB. Tincture [Fresh Herb 1:2, Recent Dry Herb

1:5, 50% alc.], 1/4 to 1 teaspoon Standard Infusion, 2-6 ounces, all to 4X a day.

Ocotillo see Fouquieria

## \*OPLOPANAX HORRIDUM (Echinopanax, Devil's Club)

ROOT and ROOTBARK. Tincture [Fresh Root 1:2, Dry Rootbark, 1:5, 60% alc.] 10-40 drops. Cold Infusion, 1-3 ounces, all forms to 3X a day.

Oregon Grape see Mahonia

Osha see Ligusticum

#### OSMORHIZA OCCIDENTALIS (Sweet Root, Western Sweet Cicely)

ROOT. Tincture [Fresh Root, 1:2, Dry Root, 1:5, 65% alcohol] 45-60 drops to 3X a day. Strong Decoction, 2-3 ounces to 3X a day.

## \*PAEONIA (Peony)

ROOT. Tincture [Fresh Root 1:2, Dry Root, 1:5, 60% alcohol] 10-25 drops up to 4X a day. Cold Infusion, 1-2 ounces. Capsules, #00, 2-3 at a time.

#### Pau D'Arco see Tabebuia

## \*PANAX QUINQUEFOLIUM (American Ginseng)

ROOT. Tincture [1:5, 70% alcohol].

WILD ROOTS (morally objectionable), 5-10 drops.

WOODSGROWN ROOTS. 10-20 drops.

**CULTIVATED ROOTS. 20-40 drops.** 

CULTIVATED RED ROOTS (Michigan and Wisc. cured roots), 15-30 drops. Any other "American Red Ginseng" is a blatant fake.

LEÁVES.30-60 drops, Cold Infusion, 2-4 ounces. All above forms to 3X a day.

## PASSIFLORA (Passion Flower)

WHOLE HERB. Tincture [Fresh Plant 1:2, Dry Herb, 1:5, 50% alcohol] 1/2 to 1 1/2 teapoon. Fluidextract [1:1, 45% alcohol], 30-60 drops. Standard Infusion of recent herb, 2-6 ounces, all forms to 4X a day.

# PEDICULARIS (Betony, Lousewort, Elephant Head, Parrot's Beak, Indian Warrior)

HERB in FLOWER.Standard Infusion, 4-8 ounces. Tincture[Fresh Plant, 1:2, Dry Plant, 1:5, 50% alcohol] 1-2 teaspoons, all to 3X a day.

## \*PEGANUM HARMALA (Syrian Rue)

SEEDS and ROOT. Tincture [1:5, 60% alcohol] 10-30 drops, to 3X a day.

LEAVES. Standard Infusion for topical use.

## \*PHYTOLACCA (Poke)

ROOT and BERRIES. Fresh Tincture, (Root or Berries), [1:2], 2-10 drops. Dry Root Tincture [1:5, 50% alcohol] 5-15 drops. **USE WITH CARE.** 

## PICRAENA (Picrasma, Quassia)

WOOD. Cold Infus., 2-4 ounces. Tincture [1:5, 50% alcohol] 30-60 drops, to 3X a day. Cold Infus., 4-8 ounces, as a retained enema, once a week for 4-6 weeks for pinworms/threadworms.

Pleurisy Root see Asclepias tuberosa

Poke Root see Phytolacca

## \*POLYMNIA UVEDALIA (Bearsfoot, Leafcup)

STEM and ROOT. Tincture [Fresh plant 1:2, Dry Root 1:5, 75% alc.] 10-50 drops, to 3X a day. Small, frequent doses are preferable.

Prickly Ash see Xanthoxylum

Red Root see Ceanothus

## **RHEUM (Rhubarb, Chinese or Turkey Rhubarb)**

ROOT. Tincture [1:5, 50% alc., 10% glycerin] 15-30 drops, to 4X a day. Too much too frequently can induce rebound constipation.

Rhubarb see Rheum

#### **RUMEX CRISPUS (Yellow Dock)**

ROOT. Tincture [Fresh Root, 1:2, Dry Root, 1:5, 50% alcohol], 30-75 drops, to 3X a day. Capsules, #00, 1-2 to 2X a day.

Use with moderation in pregnancy.

In all cases it works best in sub-laxative doses.

Sarsaparilla see Smilax

## SCUTELLARIA (Skullcap)

HERB. Tincture [Fresh Plant, 1:2, Recent Dry Plant, 1:5, 50% alcohol] 20-60 drops. Standard Infusion of recent herb, 2-6 ounces, all to 3X a day.

Selenicereus see Cereus

#### **SILYBUM MARIANUM (Milk Thistle)**

SEEDS. Capsules, #00, 2 at a time, to 3X a day. Fluidextract [1:1, 60% alcohol], 20-40 drops to 5X a day. Strong Tincture [1:3, 70% alcohol], 1/2 to 1 teaspoon, to 4X a day.

Skullcap see Scutellaria

## SMILAX (Sarsaparilla)

ROOT and RHIZOME. Cold Infusion or Strong Decoction, 1-4 ounces, to 3X a day. Tincture [Fresh Root, 1:2, Dry Root, 1:5, 60% alcohol] 30-90 drops to 3X a day.

## STILLINGIA SYLVATICA (Queen's Root)

ROOT. Tincture [Fresh root,1:2, Recent Dry Root, 1:5, 50% alcohol] 10-30 drops, preferably in small frequent doses.

Sweet Root see Osmorrhiza

## TABEBUIA (Lapacho, Pau D'Arco, Ipe Roxo, Amapa)

TREE BÂRK. Cold Infusion, 2-4 ounce to 3X a day. Fluidextract [1:1, 50% alc.] 15-30 drops to 5X a day. Tincture [1:5, 50% alcohol] 1/2 to 1 teaspoon to 4X a day

## TARAXACUM (Dandelion)

ROOT or LEAF. Root Fluidextract [1:1, 45% alcohol] 30-60 drops up to 4X a day. Tincture [Fresh Root, 1:2] 1/2 to 1 teaspoon. Strong Decoction, 2-4 ounces, to 4X a day. Leaf as Standard Infusion, 3-6 ounces as needed.

## \*THUJA (Arbor Vitae, Flat, Red or Yellow Cedar)

HERB. Fresh Plant Tincture [1:2] for topical use; 5-15 drops in water, to 4X a day. Cold Infusion, 2-3 ounces, to 3X a day.

## \*TRIBULUS (Puncture Vine, Goat's Head)

HERB and SEEDS. 1/2 to 1 teaspoon of the powdered plant in tea,

to 2X a day. Tincture [1:5, 60z% alcohol] 30-40 drops, 2X a day.

#### VERBENA (Blue Vervain)

FLOWERING HERB. Standard Infusion, 2-5 ounces, to 3X a day. Tincture [1:5, 60% alcohol] 30-90 drops, to 4X a day.

#### \*VITEX AGNUS-CASTUS (Chaste Tree Berries, Monk Peppers)

SEEDS. Tincture [1:5, 65% alcohol] 30-60 drops. Ground Berries, 1/2 - 1 tspn. in tea, both once in the morning. As it strengthens the progesterone phase of the estrus cycle, it usually works best the two weeks before menses.

#### **XANTHOXYLUM (Prickly Ash)**

BARK/BERRIES. Tincture [1:5, 65% alcohol] 10-30 drops, before meals.

Yellow Dock see Rumex crispus Yerba Mansa see Anemopsis Yerba Santa see Eriodictyon

## Copyright 1995 by Michael Moore

## SOUTHWEST SCHOOL OF BOTANICAL MEDICINE

PO Box 4565, Bisbee, AZ 85603

hrbmoore@mindspring.com - www.swsbm.com Michael Moore, Director Donna Chesner, Administrator